

TRIKE NEWS Newsletter of the Southern Microlight Club April 2010 www.southernmicrolightclub.com.au

ANNUAL FLY-IN (Drive-In)

The Southern Microlight Club's Annual Fly-in will be held this year at the Latrobe Valley Aerodrome on 24, 25 & 26 April. The Fly-in will be based in the Jelleff Hangar at Latrobe Valley Airport over Anzac weekend.

The Latrobe Valley Airport is situated just off the Princes Freeway between Morwell and Traralgon approximately 170km east of the Melbourne CBD, (an easy 2 hour drive).

The Hangar is a large one capable of housing a dozen or more Trikes. There are other hangars in the vicinity which could be utilized if needed. If driving, turn left off Princes Freeway at the Latrobe Regional Hospital Traffic Lights (Village Avenue) and proceed 700 metres. The Hangar is the 2^{nd} on the left (83 Village Ave as signposted).

The Latrobe Valley Aerodrome is uniquely situated for some interesting and varied flying, being only 30nm from the Coast to the south, and 10nm to the edge of the Great Dividing Range in the north. The abundant Power Stations and other landmarks make navigation a breeze.

Some short trips to friendly neighbouring airports will be organized (weather permitting).

Lunches and evening meals will take place at a Hangar Barbeque and other nearby dining venues.

Two flying schools operate from the airport so when in the circuit area maintain standard radio and circuit procedures. Approximately 20 Trikes operate from LV.

There are a limited number of bunks available in the adjoining Hangar Lounge at no charge but bring your own sleeping bag (first in best dressed). Kitchen and ensuite (shower) facilities are available.

The Village Caravan Park 400 metres away has powered sites for vans or tents, or cabins.

Numerous motels are located in either Traralgon or Morwell, each only 5km away.

We look forward to a great weekend of safe flying and fun.

Any queries: Ken Jelleff 0412512457



Latrobe Valley Aerodrome

ATROBE VALLEY		ELEV 180
VFAX CODE 3050	100	TC +10 YLTV
		AR 12 DEG E REG
8 919 42		
-12/ 10	AD OPR Latrobe Regional Airport Board, Bo VIC, 3841. PH 03 5174 4702: 0409 436 287	DH AH 5134 8021 FAX 03
223° 4NM Morwell 53 6	VIC, 3841. PH 03 5174 4702: 0409 430 207 5174 3526, ARO 0408 038 285: 0427 741 9	ABO AH 03 5174 4727:
1 21/26		
1000	5174 1969.	
14	REMARKS	
► 077° 4NM	1. PAX and Parking charges apply	- Contact AD Manager.
93 Traralgon	 AD not AVBL to ACFT ABV 5700 PPR for parking non-RPT ACFT 	OKG without prior permission. ABV 5700KG on sealed apron.
4. This AD is a	Security Controlled Airport.	
HANDLING SERVIC	ES AND FACILITIES	RU) Rhope 02 5174 2501.
MOBIL - Latrobe Valley	Aero Club: 2200-0730; AVBL H24 (PN during	BH). Priorie 03 5174 2391,
AH 5174 4727, 0408 03	38 285. AVGAS JET A1 0117 0125. AH Callo	out lees apply.
Unicom		
126.0 D 2230-0730.		
APRONS AND TAXI	WAYS	
ACET ABV	5700KG may only use central sealed TWY.	
0 A 21 AM wir	account limit applies for ACFT using the RPT a	pron parking position guideline
when ACET	are parked on the GA Apron parking position	is adjoining the RPT Apron.
	prcise caution.	
	ot AVBL to ACFT ABV 12M wingspan.	
METEOPOLOGICA	L INFORMATION PROVIDED	
1. TAF CAT D.		and the second
© Airservices Australia, 2009		
		FAC L - 5
AIP Australia	27-Aug-2009	
414/10 100	2 or Phone 03 5176 0534.	
AW/15 - 128		
PHYSICAL CHARA	CTERISTICS	WID 23 RWS 90
PHYSICAL CHARA 03/21 033	47a 5700/450(65PSI) Sealed	WID 23 RWS 90
PHYSICAL CHARA 03/21 033	CTERISTICS 47a 5700/450(65PSI) Sealed 30c 5700/450(65PSI)	WID 18 RWS 90
PHYSICAL CHARA 03/21 033 09/27 085	ATa 5700/450(65PSI) Sealed 30c 5700/450(65PSI) Gravel. 72(236) E end, 58(190) W end	WID 18 RWS 90
PHYSICAL CHARA 03/21 033 09/27 085	CTERISTICS 47a 5700/450(65PSI) Sealed 30c 5700/450(65PSI) Gravel. 72(236) E end, 58(190) W end APPROACH LIGHTING	WID 18 RWS 90 d Sealed.
PHYSICAL CHARA 03/21 033 09/27 085 AERODROME AND	CTERISTICS 47a 5700/450(65PSI) Sealed 30c 5700/450(65PSI) Gravel. 72(236) E end, 58(190) W end APPROACH LIGHTING	WID 18 RWS 90
PHYSICAL CHARA 03/21 033 09/27 085 AERODROME AND RWY 03/21 LIRL RWY 03/21 PTBI	ATa 5700/450(65PSI) Sealed 30c 5700/450(65PSI) Gravel. 72(236) E end, 58(190) W end APPROACH LIGHTING (1) PAL 122.3 (2)	WID 18 RWS 90 d Sealed.
PHYSICAL CHARA(03/21 033 09/27 085 AERODROME AND RWY 03/21 RWY 03/21 LIRL RWY 03/21 PTBI RWY 03/21 PTBI	ATa 5700/450(65PSI) Sealed 30c 5700/450(65PSI) Gravel. 72(236) E end, 58(190) W end APPROACH LIGHTING (1) PAL 122.3 (2) (2)	WID 18 RWS 90 d Sealed.
PHYSICAL CHARA(03/21 033 09/27 085 AERODROME AND RWY 03/21 RWY 03/21 LIRL RWY 03/21 PTBI RWY 03/21 PTBI	ATa 5700/450(65PSI) Sealed 30c 5700/450(65PSI) Gravel. 72(236) E end, 58(190) W end APPROACH LIGHTING (1) PAL 122.3 (2)	WID 18 RWS 90 d Sealed.
PHYSICAL CHARA(03/21 033 09/27 085 AERODROME AND RWY 03/21 LIRL RWY 03/21 LIRL RWY 03/21 PTBI RWY 03/27 PTBI (1) SDBY PWR c (2) EMERG only EMERG only (2)	ATa 5700/450(65PSI) Sealed 30c 5700/450(65PSI) Gravel. 72(236) E end, 58(190) W end APPROACH LIGHTING	WID 18 RWS 90 d Sealed.
PHYSICAL CHARA(03/21 033 09/27 085 AERODROME AND RWY 03/21 LIRL RWY 03/21 LIRL RWY 03/21 PTBI RWY 03/27 PTBI (1) SDBY PWR c (2) EMERG only EMERG only (2)	ATa 5700/450(65PSI) Sealed 30c 5700/450(65PSI) Gravel. 72(236) E end, 58(190) W end APPROACH LIGHTING	WID 18 RWS 90 d Sealed.
PHYSICAL CHARA(03/21 033 09/27 085 AERODROME AND NU RWY 03/21 LIRL RWY 03/21 PTBI RWY 09/27 PTBI (1) SDBY PWR c (2) EMERG only For manual activation of	ATA 5700/450(65PSI) Sealed 30c 5700/450(65PSI) Gravel. 72(236) E end, 58(190) W end APPROACH LIGHTING	WID 18 RWS 90 d Sealed.
PHYSICAL CHARA 03/21 033 09/27 085 AERODROME AND RWY 03/21 LIRL RWY 03/21 PTBI RWY 09/27 PTBI (1) SDBY PWR c (2) EMERG only For manual activation of ATS COMMUNICAT	ATA 5700/450(65PSI) Sealed 30c 5700/450(65PSI) Gravel. 72(236) E end, 58(190) W end APPROACH LIGHTING Image: Comparison of the second se	WID 18 RWS 90 d Sealed.
PHYSICAL CHARA(03/21 033 09/27 085 AERODROME AND RWY 03/21 LIRL RWY 03/21 PTBI RWY 03/27 PTBI (1) SDBY PWR c (2) EMERG only For manual activation of ATS COMMUNICAT FIA MELBOURI	CTERISTICS 47a 5700/450(65PSI) Sealed 30c 5700/450(65PSI) Gravel. 72(236) E end, 58(190) W end APPROACH LIGHTING (1) PAL 122.3 (2) 2 (2) 0 500 0408 038 285. State ARO 0408 038 285. 0 State ARO 100 0408 038 285. 0 State ARO 100 0408 038 285. 0 State ARO 100 0408 038 285. 0	WID 18 RWS 90 d Sealed.
PHYSICAL CHARA(03/21 033 09/27 085 AERODROME AND RWY 03/21 LIRL RWY 03/21 PTBI RWY 09/27 PTBI (1) SDBY PWR c (2) EMERG only For manual activation of ATS COMMUNICAT FIA MELBOURI RADIO NAVIGATIO	CTERISTICS 47a 5700/450(65PSI) Sealed 30c 5700/450(65PSI) Gravel. 72(236) E end, 58(190) W end APPROACH LIGHTING (1) PAL 122.3 (2) (2) (2) (300) Contact ARO 0408 038 285. ontact ARO 0408 038 285. (300) SECURIES NE CENTRE 124.0 On Ground N AND LANDING AIDS S 38 12.8	WID 18 RWS 90 d Sealed. SDBY PWR AVBL ange 30 (HN 30) (1)
PHYSICAL CHARA(03/21 033 09/27 085 AERODROME AND RWY 03/21 LIRL RWY 03/21 PTBI RWY 09/27 PTBI (1) SDBY PWR c (2) EMERG only For manual activation of ATS COMMUNICAT FIA MELBOURI RADIO NAVIGATIO	CTERISTICS 47a 5700/450(65PSI) Sealed 30c 5700/450(65PSI) Gravel. 72(236) E end, 58(190) W end APPROACH LIGHTING (1) PAL 122.3 (2) (2) (2) (300) Contact ARO 0408 038 285. ontact ARO 0408 038 285. (300) SECURIES NE CENTRE 124.0 On Ground N AND LANDING AIDS S 38 12.8	WID 18 RWS 90 d Sealed. SDBY PWR AVBL ange 30 (HN 30) (1)
PHYSICAL CHARA(03/21 033 09/27 085 AERODROME AND RWY 03/21 LIRL RWY 03/21 PTBI RWY 09/27 PTBI (1) SDBY PWR c (2) EMERG only For manual activation of ATS COMMUNICAT FIA MELBOURI RADIO NAVIGATIO NDB LTV 486 (1) Pilot monitore	CTERISTICS 47a 5700/450(65PSI) Sealed 30c 5700/450(65PSI) Gravel. 72(236) E end, 58(190) W end APPROACH LIGHTING (1) PAL 122.3 (2) (2) (2) (2) (1) PAL 122.3 (2) (2) (2) (2) (1) PAL 122.3 (2) (2) (2) (3) (2) (2) (2) (2) (2) (2) (1) PAL 122.3 (2) (2) (2) (3) (2) (1) (1) PAL 122.3 (2) (2) (1) PAL 122.3 (1) (2) (2) (2) (2) (2) (2) (3) (2) (3) (2) (3) (1) (1) (2) (2) (2)	WID 18 RWS 90 d Sealed. SDBY PWR AVBL ange 30 (HN 30) (1)
PHYSICAL CHARA(03/21 033 09/27 085 AERODROME AND RWY 03/21 LIRL RWY 03/21 PTBI (1) SDBY PWR c (2) EMERG only For manual activation of ATS COMMUNICAT FIA MELBOURI RADIO NAVIGATIO NDB LTV 486 (1) Pilot monitore LOCAL TRAFFIC B	CTERISTICS 47a 5700/450(65PSI) Sealed 30c 5700/450(65PSI) Gravel. 72(236) E end, 58(190) W end APPROACH LIGHTING (1) PAL 122.3 (2) (2) (2) C(2) (3) Sontact ARO 0408 038 285. (1) ontact ARO 0408 038 285. (1) ONS FACILITIES 124.0 On Ground NAND LANDING AIDS S 38 12.8 E 146 28.5 Sd - Privately Operated - Range 15NM in segn FGULATIONS	WID 18 RWS 90 d Sealed. SDBY PWR AVBL ange 30 (HN 30) (1) nents 120 -190 and 300 -010.
PHYSICAL CHARA(03/21 033 09/27 085 AERODROME AND RWY 03/21 LIRL RWY 03/21 PTBI (1) SDBY PWR c (2) EMERG only For manual activation of ATS COMMUNICAT FIA MELBOUR! RADIO NAVIGATIO NDB LTV 486 (1) Pilot monitore LOCAL TRAFFIC R	CTERISTICS 47a 5700/450(65PSI) Sealed 30c 5700/450(65PSI) Gravel. 72(236) E end, 58(190) W end APPROACH LIGHTING (1) PAL 122.3 (2) (2) (2) Contact ARO 0408 038 285. (3) Statistical State (1) PAL 122.3 (2) (2) (2) Contact ARO 0408 038 285. (3) ONS FACILITIES 124.0 Or Ground N AND LANDING AIDS S 38 12.8 E 146 28.5 S 38 12.8 E 146 28.5 R Of Privately Operated - Range 15NM in segn (2) EGULATIONS (2) (2)	WID 18 RWS 90 d Sealed. SDBY PWR AVBL ange 30 (HN 30) (1) nents 120 -190 and 300 -010. n opposite RWY ends.
PHYSICAL CHARA(03/21 033 09/27 085 AERODROME AND RWY 03/21 LIRL RWY 03/21 PTBI RWY 09/27 PTBI (1) SDBY PWR c (2) EMERG only For manual activation of ATS COMMUNICAT FIA MELBOURI RADIO NAVIGATIO NDB LTV 486 (1) Pilot monitore LOCAL TRAFFIC R 1. RWY 03/21	CTERISTICS 47a 5700/450(65PSI) Sealed 30c 5700/450(65PSI) Gravel. 72(236) E end, 58(190) W end APPROACH LIGHTING (1) PAL 122.3 (2) (2) ontact ARO 0408 038 285. of lighting contact ARO on 0408 038 285. TONS FACILITIES NE CENTRE 124.0 Or Ground N AND LANDING AIDS S 38 12.8 E 146 28.5 S 38 12.8 E 146 28.5 6d - Privately Operated - Range 15NM in segn EGULATIONS : due RWY levels ACFT may not be sighted o orage areating NDB APCH should add 1000FT to	WID 18 RWS 90 d Sealed. SDBY PWR AVBL ange 30 (HN 30) (1) nents 120 -190 and 300 -010. n opposite RWY ends. the ALT prescribed in the NDE
PHYSICAL CHARA(03/21 033 09/27 085 AERODROME AND RWY 03/21 LIRL RWY 03/21 PTBI RWY 09/27 PTBI (1) SDBY PWR c (2) EMERG only For manual activation of ATS COMMUNICAT FIA MELBOURI RADIO NAVIGATIO NDB LTV 486 (1) Pilot monitore LOCAL TRAFFIC R 1. RWY 03/21 2. Pilots makin	CTERISTICS 47a 5700/450(65PSI) Sealed 30c 5700/450(65PSI) Gravel. 72(236) E end, 58(190) W end APPROACH LIGHTING (1) PAL 122.3 (2) (2) (2) (2) (3) (4) (2) (1) (1) (1) (2) (2) (2) (2) (2) (2) (1) (2) (1) (1) (1) (2) (2) (2) (2) (2) (2) (2) (1) (1) (1) (2) (2) (2) (2) (2) (2) (2) (2) (1) (1) (2) (2) (3) </td <td>WID 18 RWS 90 d Sealed. SDBY PWR AVBL ange 30 (HN 30) (1) hents 120 -190 and 300 -010. n opposite RWY ends. the ALT prescribed in the NDE th circuit TFC. Such flights shal</td>	WID 18 RWS 90 d Sealed. SDBY PWR AVBL ange 30 (HN 30) (1) hents 120 -190 and 300 -010. n opposite RWY ends. the ALT prescribed in the NDE th circuit TFC. Such flights shal
PHYSICAL CHARA(03/21 033 09/27 085 AERODROME AND RWY 03/21 LIRL RWY 03/21 PTBI RWY 09/27 PTBI (1) SDBY PWR c (2) EMERG only For manual activation of ATS COMMUNICAT FIA MELBOURI RADIO NAVIGATIO NDB LTV 486 (1) Pilot monitore LOCAL TRAFFIC R 1. RWY 03/21 2. Pilots makin APCH in or BOST their	CTERISTICS 47a 5700/450(65PSI) Sealed 30c 5700/450(65PSI) Gravel. 72(236) E end, 58(190) W end APPROACH LIGHTING (1) PAL 122.3 (2) (2) (2) (2) (2) (2) (2) (2)	WID 18 RWS 90 d Sealed. SDBY PWR AVBL ange 30 (HN 30) (1) hents 120 -190 and 300 -010. In opposite RWY ends. the ALT prescribed in the NDE th circuit TFC. Such flights shal thy pilots making NDB APCH in
PHYSICAL CHARA(03/21 033 09/27 085 AERODROME AND RWY 03/21 LIRL RWY 03/21 PTBI (1) SDBY PWR c (2) EMERG only For manual activation of ATS COMMUNICAT FIA MELBOUR! RADIO NAVIGATIO NDB LTV 486 (1) Pilot monitore LOCAL TRAFFIC R 1. RWY 03/21 2. Pilots makin APCH in or BCST their IMC on enc	CTERISTICS 47a 5700/450(65PSI) Sealed 30c 5700/450(65PSI) Gravel. 72(236) E end, 58(190) W end APPROACH LIGHTING (1) PAL 122.3 (2) (2) (2) (2) (3) (4) (2) (1) (1) (1) (2) (2) (2) (2) (2) (2) (1) (2) (1) (1) (1) (2) (2) (2) (2) (2) (2) (2) (1) (1) (1) (2) (2) (2) (2) (2) (2) (2) (2) (1) (1) (2) (2) (3) </td <td>WID 18 RWS 90 d Sealed. SDBY PWR AVBL ange 30 (HN 30) (1) hents 120 -190 and 300 -010. In opposite RWY ends. the ALT prescribed in the NDE th circuit TFC. Such flights shal thy pilots making NDB APCH in</td>	WID 18 RWS 90 d Sealed. SDBY PWR AVBL ange 30 (HN 30) (1) hents 120 -190 and 300 -010. In opposite RWY ends. the ALT prescribed in the NDE th circuit TFC. Such flights shal thy pilots making NDB APCH in
PHYSICAL CHARA(03/21 033 09/27 085 AERODROME AND RWY 03/21 LIRL RWY 03/21 PTBI RWY 09/27 PTBI (1) SDBY PWR c (2) EMERG only For manual activation of ATS COMMUNICAT FIA MELBOURI RADIO NAVIGATIO NDB LTV 486 (1) Pilot monitore LOCAL TRAFFIC R 1. RWY 03/21 2. Pilots makii APCH in or BCST their IMC on enc manner.	CTERISTICS 47a 5700/450(65PSI) Sealed 30c 5700/450(65PSI) Gravel. 72(236) E end, 58(190) W end APPROACH LIGHTING (1) (1) PAL 122.3 (2) (2) (2) (2) (3) For Status (4) PAL 122.3 (5) (2) (1) PAL 122.3 (2) (2) (2) (2) (2) (2) (2) (2) (2) (2) (1) PAL 122.3 (2) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2) (1) PAL 122.3 (2) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2) (3) (2) (4) (2) (5) (2) (2) (2)	WID 18 RWS 90 d Sealed. SDBY PWR AVBL ange 30 (HN 30) (1) nents 120 -190 and 300 -010. In opposite RWY ends. the ALT prescribed in the NDE th circuit TFC. Such flights shal rly pilots making NDB APCH in 1 & join the circuit in the standard
PHYSICAL CHARA(03/21 033 09/27 085 AERODROME AND RWY 03/21 LIRL RWY 03/21 PTBI RWY 09/27 PTBI (1) SDBY PWR c (2) EMERG only For manual activation of ATS COMMUNICAT FIA MELBOURI RADIO NAVIGATIO NDB LTV 486 (1) Pilot monitore LOCAL TRAFFIC R 1. RWY 03/21 2. Pilots makii APCH in or BCST their IMC on enc manner.	CTERISTICS 47a 5700/450(65PSI) Sealed 30c 5700/450(65PSI) Gravel. 72(236) E end, 58(190) W end APPROACH LIGHTING (1) PAL 122.3 (2) (2) (2) (2) (2) (2) (2) (2)	WID 18 RWS 90 d Sealed. SDBY PWR AVBL ange 30 (HN 30) (1) hents 120 -190 and 300 -010. In opposite RWY ends. the ALT prescribed in the NDE th circuit TFC. Such flights shal rly pilots making NDB APCH ir I & join the circuit in the standard DS).
PHYSICAL CHARA(03/21 033 09/27 085 AERODROME AND RWY 03/21 LIRL RWY 03/21 PTBI RWY 09/27 PTBI (1) SDBY PWR c (2) EMERG only For manual activation of ATS COMMUNICAT FIA MELBOURI RADIO NAVIGATIO NDB LTV 486 (1) Pilot monitore LOCAL TRAFFIC R 1. RWY 03/21 2. Pilots makii APCH in or BCST their IMC on enc manner.	CTERISTICS 47a 5700/450(65PSI) Sealed 30c 5700/450(65PSI) Gravel. 72(236) E end, 58(190) W end APPROACH LIGHTING (1) PAL 122.3 (2) (2) (2) (2) (2) (2) (2) (2)	WID 18 RWS 90 d Sealed. SDBY PWR AVBL ange 30 (HN 30) (1) nents 120 -190 and 300 -010. In opposite RWY ends. the ALT prescribed in the NDE th circuit TFC. Such flights shal rly pilots making NDB APCH in 1 & join the circuit in the standard DS).
PHYSICAL CHARA(03/21 033 09/27 085 AERODROME AND RWY 03/21 LIRL RWY 03/21 PTBI RWY 09/27 PTBI (1) SDBY PWR c (2) EMERG only For manual activation C ATS COMMUNICAT FIA MELBOURI RADIO NAVIGATIO NDB LTV 486 (1) Pilot monitore LOCAL TRAFFIC R 1. RWY 03/21 2. Pilots makin APCH in or BCST their IMC on enc manner. 3. Night circui CTAF - AFRU 126.0	CTERISTICS 47a 5700/450(65PSI) Sealed 30c 5700/450(65PSI) Gravel. 72(236) E end, 58(190) W end APPROACH LIGHTING (1) PAL 122.3 (2) (2) (2) (2) contact ARO 0408 038 285. of lighting contact ARO on 0408 038 285. TONS FACILITIES NE CENTRE 124.0 Or Ground N AND LANDING AIDS S 38 12.8 E 146 28.5 R id - Privately Operated - Range 15NM in segn EGULATIONS : due RWY levels ACFT may not be sighted o ng practice NDB APCH should add 1000FT to der to reduce noise nuisance & interference wi intentions including ALT limits of OPS. Simila ountering VMC shall remain as high as practica its not permitted - D 1200-2000 (1100-1900 H	WID 18 RWS 90 d Sealed. SDBY PWR AVBL ange 30 (HN 30) (1) nents 120 -190 and 300 -010. n opposite RWY ends. the ALT prescribed in the NDE th circuit TFC. Such flights shal rly pilots making NDB APCH ir I & join the circuit in the standard DS).
PHYSICAL CHARA(03/21 033 09/27 085 AERODROME AND RWY 03/21 LIRL RWY 03/21 PTBI RWY 09/27 PTBI (1) SDBY PWR c (2) EMERG only For manual activation C ATS COMMUNICAT FIA MELBOURI RADIO NAVIGATIO NDB LTV 486 (1) Pilot monitore LOCAL TRAFFIC R 1. RWY 03/21 2. Pilots makin APCH in or BCST their IMC on enc manner. 3. Night circui CTAF - AFRU 126.0	CTERISTICS 47a 5700/450(65PSI) Sealed 30c 5700/450(65PSI) Gravel. 72(236) E end, 58(190) W end APPROACH LIGHTING (1) PAL 122.3 (2) (2) (2) (2) contact ARO 0408 038 285. of lighting contact ARO on 0408 038 285. TONS FACILITIES NE CENTRE 124.0 Orl Ground N AND LANDING AIDS S 38 12.8 E 146 28.5 R of - Privately Operated - Range 15NM in segn EGULATIONS : due RWY levels ACFT may not be sighted o ng practice NDB APCH should add 1000FT to der to reduce noise nuisance & interference wi intentions including ALT limits of OPS. Simila ountering VMC shall remain as high as practica its not permitted - D 1200-2000 (1100-1900 H IT PROCEDURES	WID 18 RWS 90 d Sealed. SDBY PWR AVBL ange 30 (HN 30) (1) nents 120 -190 and 300 -010. n opposite RWY ends. the ALT prescribed in the NDE th circuit TFC. Such flights shal rly pilots making NDB APCH ir I & join the circuit in the standard DS).
PHYSICAL CHARA(03/21 033 09/27 085 AERODROME AND RWY 03/21 LIRL RWY 03/21 PTBI RWY 09/27 PTBI (1) SDBY PWR c (2) EMERG only For manual activation of ATS COMMUNICAT FIA MELBOURI RADIO NAVIGATIO NDB LTV 486 (1) Pilot monitore LOCAL TRAFFIC R 1. RWY 03/21 2. Pilots makin APCH in or BCST their IMC on enc manner. 3. Night circui CTAF - AFRU 126.0 NOISE ABATEMEN Pilots are advised that	CTERISTICS 47a 5700/450(65PSI) Sealed 30c 5700/450(65PSI) Gravel. 72(236) E end, 58(190) W end APPROACH LIGHTING (1) PAL 122.3 (2) (2) (2) (2) contact ARO 0408 038 285. 50 Ighting contact ARO on 0408 038 285. TONS FACILITIES NE CENTRE 124.0 On Ground N AND LANDING AIDS S 38 12.8 E 146 28.5 R 6d - Privately Operated - Range 15NM in segn EGULATIONS : due RWY levels ACFT may not be sighted o ng practice NDB APCH should add 1000FT to der to reduce noise nuisance & interference wi intentions including ALT limits of OPS. Simila ountering VMC shall remain as high as practica its not permitted - D 1200-2000 (1100-1900 H IT PROCEDURES : the area BTN the AD & the highway to the S	WID 18 RWS 90 d Sealed. SDBY PWR AVBL ange 30 (HN 30) (1) nents 120 -190 and 300 -010. n opposite RWY ends. the ALT prescribed in the NDE th circuit TFC. Such flights shal rly pilots making NDB APCH ir I & join the circuit in the standard DS).
PHYSICAL CHARA(03/21 033 09/27 085 AERODROME AND RWY 03/21 LIRL RWY 03/21 PTBI RWY 09/27 PTBI (1) SDBY PWR c (2) EMERG only For manual activation C ATS COMMUNICAT FIA MELBOURI RADIO NAVIGATIO NDB LTV 486 (1) Pilot monitore LOCAL TRAFFIC R 1. RWY 03/21 2. Pilots makin APCH in or BCST their IMC on enc manner. 3. Night circuit CTAF - AFRU 126.0 NOISE ABATEMEN Pilots are advised that Overflight should be ar	CTERISTICS 47a 5700/450(65PSI) Sealed 30c 5700/450(65PSI) Gravel. 72(236) E end, 58(190) W end APPROACH LIGHTING (1) PAL 122.3 (2) (2) (2) (2) C(2) (2) C(2) (2) C(2)	WID 18 RWS 90 d Sealed. SDBY PWR AVBL ange 30 (HN 30) (1) nents 120 -190 and 300 -010. n opposite RWY ends. the ALT prescribed in the NDE th circuit TFC. Such flights shal rly pilots making NDB APCH ir I & join the circuit in the standard DS).
PHYSICAL CHARA 03/21 033 09/27 085 AERODROME AND RWY 03/21 LIRL RWY 03/21 PTBI RWY 09/27 PTBI (1) SDBY PWR c (2) EMERG only For manual activation C ATS COMMUNICAT FIA MELBOURI RADIO NAVIGATIO NDB LTV 486 (1) Pilot monitore LOCAL TRAFFIC R 1. RWY 03/21 2. Pilots makil APCH in or BCST their IMC on enc manner. 3. Night circui CTAF - AFRU 126.0 NOISE ABATEMEN Pilots are advised that Overflight should be ar ADDITIONAL INFO	CTERISTICS 47a 5700/450(65PSI) Sealed 30c 5700/450(65PSI) Gravel. 72(236) E end, 58(190) W end APPROACH LIGHTING (1) PAL 122.3 (2) (2) (2) (2) (2) (2) (2) (2)	WID 18 RWS 90 d Sealed. SDBY PWR AVBL ange 30 (HN 30) (1) nents 120 -190 and 300 -010. n opposite RWY ends. the ALT prescribed in the NDE th circuit TFC. Such flights sha rly pilots making NDB APCH in I & join the circuit in the standard DS).
PHYSICAL CHARAA 03/21 033 09/27 085 AERODROME AND RWY 03/21 LIRL RWY 03/21 PTBI RWY 09/27 PTBI (1) SDBY PWR c (2) EMERG only For manual activation C ATS COMMUNICAT FIA MELBOURI RADIO NAVIGATIO NDB LTV 486 (1) Pilot monitore LOCAL TRAFFIC R 1. RWY 03/21 2. Pilots makin APCH in or BCST their IMC on enc manner. 3. Night circuit CTAF - AFRU 126.0 NOISE ABATEMEN Pilots are advised that Overflight should be ar ADDITIONAL INFO 1. Bird hazard	CTERISTICS 47a 5700/450(65PSI) Sealed 30c 5700/450(65PSI) Gravel. 72(236) E end, 58(190) W end APPROACH LIGHTING (1) PAL 122.3 (2) (2) (2) contact ARO 0408 038 285. of lighting contact ARO on 0408 038 285. TONS FACILITIES NE CENTRE 124.0 On Ground N AND LANDING AIDS S 38 12.8 E 146 28.5 R id - Privately Operated - Range 15NM in segn EGULATIONS : due RWY levels ACFT may not be sighted o ng practice NDB APCH should add 1000FT to der to reduce noise nuisance & interference wi intentions including ALT limits of OPS. Simila ountering VMC shall remain as high as practica its not permitted - D 1200-2000 (1100-1900 H IT PROCEDURES the area BTN the AD & the highway to the S voided. PRMATION d exists.	WID 18 RWS 90 d Sealed. SDBY PWR AVBL ange 30 (HN 30) (1) nents 120 -190 and 300 -010. n opposite RWY ends. the ALT prescribed in the NDE th circuit TFC. Such flights shal rly pilots making NDB APCH in I & join the circuit in the standard DS).
PHYSICAL CHARAG 03/21 033 09/27 085 AERODROME AND RWY 03/21 LIRL RWY 03/21 PTBI RWY 03/21 PTBI RWY 09/27 PTBI (1) SDBY PWR c (2) EMERG only For manual activation of ATS COMMUNICATIO NDB LTV 486 (1) Pilot monitore LOCAL TRAFFIC R 1. RWY 03/21 2. Pilots makin APCH in or BCST their IMC on enc manner. 3. Night circuit CTAF - AFRU 126.0 NOISE ABATEMEN Pilots are advised that Overflight should be at ADDITIONAL INFO 1. Bird hazaro	CTERISTICS 47a 5700/450(65PSI) Sealed 30c 5700/450(65PSI) Gravel. 72(236) E end, 58(190) W end APPROACH LIGHTING (1) PAL 122.3 (2) (2) (2) (2) contact ARO 0408 038 285. 50 Ighting contact ARO on 0408 038 285. TONS FACILITIES NE CENTRE 124.0 On Ground N AND LANDING AIDS S 38 12.8 E 146 28.5 R 6d - Privately Operated - Range 15NM in segn EGULATIONS : due RWY levels ACFT may not be sighted o ing practice NDB APCH should add 1000FT to der to reduce noise nuisance & interference wi intentions including ALT limits of OPS. Simila ountering VMC shall remain as high as practica its not permitted - D 1200-2000 (1100-1900 H IT PROCEDURES : the area BTN the AD & the highway to the S voided. ITMATION d exists.	WID 18 RWS 90 d Sealed. SDBY PWR AVBL ange 30 (HN 30) (1) hents 120 -190 and 300 -010. In opposite RWY ends. the ALT prescribed in the NDE th circuit TFC. Such flights shal rly pilots making NDB APCH in I & join the circuit in the standard DS).
PHYSICAL CHARAK 03/21 033 09/27 085 AERODROME AND RWY 03/21 LIRL RWY 03/21 PTBI RWY 03/21 PTBI RWY 03/21 PTBI RWY 03/21 PTBI (1) SDBY PWR c (2) EMERG only For manual activation c ATS COMMUNICAT RADIO NAVIGATIO NDB NDB LTV 486 (1) Pilot monitore LOCAL TRAFFIC R 1. RWY 03/21 Pilots makin APCH in or BCST their IMC on enc manner. 3. Night circuit CTAF - AFRU 126.0 NOISE ABATEMEN Pilots are advised that Overflight should be ar ADDITIONAL INFOC 1. Bird hazard 2. 3. Gliding OP	CTERISTICS 47a 5700/450(65PSI) Sealed 30c 5700/450(65PSI) Gravel. 72(236) E end, 58(190) W end APPROACH LIGHTING (1) PAL 122.3 (2) (1) PAL 122.3 (2) (2) ontact ARO 0408 038 285. 50 flighting contact ARO on 0408 038 285. TONS FACILITIES NE CENTRE 124.0 On Ground N AND LANDING AIDS S 38 12.8 E 146 28.5 R of - Privately Operated - Range 15NM in segn FGULATIONS : due RWY levels ACFT may not be sighted o ng practice NDB APCH should add 1000FT to der to reduce noise nuisance & interference wi intentions including ALT limits of OPS. Simila ountering VMC shall remain as high as practica its not permitted - D 1200-2000 (1100-1900 H IT PROCEDURES the area BTN the AD & the highway to the S voided. PRMATION d exists. S HJ on grass strip 03L/21R. Right hand CCT	WID 18 RWS 90 d Sealed. SDBY PWR AVBL ange 30 (HN 30) (1) hents 120 -190 and 300 -010. In opposite RWY ends. the ALT prescribed in the NDE th circuit TFC. Such flights shal rly pilots making NDB APCH in 1 & join the circuit in the standard DS). is particularly noise sensitive.
AERODROME AND 30/21 033 309/27 085 AERODROME AND RWY 03/21 LIRL RWY 03/21 PTBI RWY 09/27 PTBI (1) SDBY PWR c (2) EMERG only For manual activation C ATS COMMUNICAT FIA MELBOURI RADIO NAVIGATIO NDB LTV 486 (1) Pilot monitore LOCAL TRAFFIC R 1. RWY 03/21 2. Pilots makil APCH in or BCST their IMC on enc manner. 3. Night circui CTAF - AFRU 126.0 NOISE ABATEMEN Pilots are advised that Overflight should be ar ADDITIONAL INFO 1. Bird hazard 2. PJE HJ. 3. Gliding OP	CTERISTICS 47a 5700/450(65PSI) Sealed 30c 5700/450(65PSI) Gravel. 72(236) E end, 58(190) W end APPROACH LIGHTING (1) PAL 122.3 (2) (2) (2) (2) (2) (2) (2) (3) APPROACH LIGHTING (1) PAL 122.3 (2) (2) (2) (2) (2) (2) (2) (2)	WID 18 RWS 90 d Sealed. SDBY PWR AVBL ange 30 (HN 30) (1) nents 120 -190 and 300 -010. n opposite RWY ends. the ALT prescribed in the NDE th circuit TFC. Such flights shal rly pilots making NDB APCH ir 1 & join the circuit in the standard DS). is particularly noise sensitive.
PHYSICAL CHARAA 03/21 033 09/27 085 AERODROME AND RWY 03/21 LIRL RWY 03/21 PTBI RWY 09/27 PTBI (1) SDBY PWR c (2) EMERG only For manual activation of ATS COMMUNICAT FIA MELBOURI RADIO NAVIGATIO NDB LTV 486 (1) Pilot monitore LOCAL TRAFFIC R 1. RWY 03/21 2. Pilots makin APCH in or BCST their IMC on enc manner. 3. Night circui CTAF - AFRU 126.0 NOISE ABATEMEN Pilots are advised that Overflight should be ar ADDITIONAL INFO 1. Bird hazar 2. PJE HJ. 3. Gliding OP 4. Helicopter 5 Pilots are 1	CTERISTICS 47a 5700/450(65PSI) Sealed 30c 5700/450(65PSI) Gravel. 72(236) E end, 58(190) W end APPROACH LIGHTING (1) PAL 122.3 (2) (2) (2) (2) ontact ARO 0408 038 285. of lighting contact ARO on 0408 038 285. TONS FACILITIES NE CENTRE 124.0 On Ground N AND LANDING AIDS S 38 12.8 E 146 28.5 R of - Privately Operated - Range 15NM in segn EGULATIONS : due RWY levels ACFT may not be sighted o ng practice NDB APCH should add 1000FT to der to reduce noise nuisance & interference wi intentions including ALT limits of OPS. Simila ountering VMC shall remain as high as practica its not permitted - D 1200-2000 (1100-1900 H IT PROCEDURES : the area BTN the AD & the highway to the S voided. PRMATION d exists. 'S HJ on grass strip 03L/21R. Right hand CCT Ambulance OPS H24. requested to avoid flying over, or in the vicinity	WID 18 RWS 90 d Sealed. SDBY PWR AVBL ange 30 (HN 30) (1) hents 120 -190 and 300 -010. In opposite RWY ends. the ALT prescribed in the NDE th circuit TFC. Such flights shal rly pilots making NDB APCH in 1& join the circuit in the standard DS). is particularly noise sensitive.
PHYSICAL CHARA(03/21 033 09/27 085 AERODROME AND RWY 03/21 LIRL RWY 03/21 PTBI RWY 09/27 PTBI (1) SDBY PWR c (2) EMERG only For manual activation of ATS COMMUNICAT FIA MELBOURI RADIO NAVIGATIO NDB LTV 486 (1) Pilot monitore LOCAL TRAFFIC R 1. RWY 03/21 2. Pilots makii APCH in or BCST their IMC on enc manner. 3. Night circui CTAF - AFRU 126.0 NOISE ABATEMEN Pilots are advised that Overflight should be ar ADDITIONAL INFO 1. Bird hazar 2. PJE HJ. 3. Gliding OP 4. Helicopter 5 Pilots are 1	CTERISTICS 47a 5700/450(65PSI) Sealed 30c 5700/450(65PSI) Gravel. 72(236) E end, 58(190) W end APPROACH LIGHTING (1) PAL 122.3 (2) (2) (2) (2) ontact ARO 0408 038 285. of lighting contact ARO on 0408 038 285. TONS FACILITIES NE CENTRE 124.0 On Ground N AND LANDING AIDS S 38 12.8 E 146 28.5 R of - Privately Operated - Range 15NM in segn EGULATIONS : due RWY levels ACFT may not be sighted o ng practice NDB APCH should add 1000FT to der to reduce noise nuisance & interference wi intentions including ALT limits of OPS. Simila ountering VMC shall remain as high as practica its not permitted - D 1200-2000 (1100-1900 H IT PROCEDURES : the area BTN the AD & the highway to the S voided. PRMATION d exists. 'S HJ on grass strip 03L/21R. Right hand CCT Ambulance OPS H24. requested to avoid flying over, or in the vicinity	WID 18 RWS 90 d Sealed. SDBY PWR AVBL ange 30 (HN 30) (1) nents 120 -190 and 300 -010. n opposite RWY ends. the ALT prescribed in the NDE th circuit TFC. Such flights shal rly pilots making NDB APCH ir 1 & join the circuit in the standard DS). is particularly noise sensitive.

NEWS

NEWS

The ongoing saga of trying to obtain information from the HGFA relating to the State levies paid by SMC Members over the years is still not resolved. I know you are losing patience with this issue as am I. I have emailed the HGFA Treasurer, Raef Mackay, asking for a copy of the documentation apparently adopted by the Picolight pilots. I will continue to pursue this issue until we reach a satisfactory conclusion. I suggest we submit an ambit claim if we do not get a sensible reply soon.

Following our last monthly meeting and the ensuing committee meeting, I have conveyed to Raef Mackay that the SMC has an interest in consulting more closely with the HGFA Board on all matters relating to flying trikes. Further information as to what this might entail has been sought but no details are to hand at this time.

Craig Worth has been invited to address one off our monthly meetings and has advised that he is keen to get to one of your meetings but is not sure whether he will have a job with the HGFA by the end of next month as the Board is seeking tenders for the GM role.

SMC WEB SITE

Steven Bell continues to update the Club Web Site which is very much appreciated. If you have not already done so, have a look at how the site is progressing.

BASE INSPECTION

The trike base inspection held at Gary Wheeler's Hangar at Flowerdale on Sunday 28 March was a very pleasant and informative day with eighteen interested people in attendance. Our thanks to Gary Wheeler for making his facilities available and for supplying lunch. Thanks also to Mark Howard for conducting the session and passing on his technical knowledge and wisdom.

I refer again to AC 43.13-1B which contains a wealth of information relating to the maintenance of light aircraft with some sections directly relevant to trikes. A free download is available through the internet.

Carol and Brian Carpenter of Rainbow Aviation Services (the people who with Kevin McNally conducted the trike maintenance course at Maitland in October 2008) would help anyone with a specific maintenance problem. See: www.rainbowaviation.com or email: info@rainbowaviation.

WATSON FLY-IN

David Watson's invitation to all members of the SMC to a fly-in to be held on the weekend of the 10th and 11th of April, 2010 at his property situated at 415 Lewis Road, Buckley, (Lake Modewarre) is still current.

Lake Modewarre is just south of the Princes Highway about 20 minutes west of Waurn Ponds. (Geelong). There's ample room for camping with basic toilet and kitchenette facilities on site.

For those wishing to fly to the venue the GPS co-ordinates are S 38.15.053 E 144.05.673. David can accommodate quite a few with camp mattresses etc and hangar space for about 6 fully rigged trikes.

The BBQ will be going all weekend with food, beverage and fuel runs into Winchelsea (10 minutes) for anybody who needs anything.

The grass strip runs NW – SE and is 500 metres long. (See the attached picture)

Please contact David if anyone has any queries, RSVP by the Wednesday prior (7th) and weather permitting it will be a good weekend.

David Watson

Registered Builder DB-U 27441 415 Lewis Road, Buckley, Vic., 3240 Mobile 0409 191 300 | Email david.watson4@bigpond.com | Phone/Fax 03 5266 1142.

FOR SALE

As far as I am aware Karen and Wally still have an excellent trailer for sale.



TRIKE TRAILER FOR SALE - built by Wayne Sternberg - POA

RING WALLY WIENER 0423 026939

INTERESTING

Anthony Meecham suggests a look at an electric trike. See: <u>http://www.youtube.com/watch?v=qQZ0TK9faBU</u> Also worth a look at a highly skilled model aircraft maker, Young C. Park: www.craftsmanshipmuseum.com/**park**.htm

Pilot held after 13 years on fake licence: police

March 4, 2010 - 8:57AM

Dutch officials have arrested a Swedish pilot who flew for commercial airlines for 13 years using a fake licence, police said on Wednesday.

The 41-year-old pilot, who lives in Milan, clocked up at least 10,000 hours flying for airlines based in Britain, Italy and Belgium.

Following a tip-off from the Swedish authorities, officials detained him at Amsterdam's Schiphol airport on Tuesday evening as he was preparing to take off for Ankara in a Boeing 737 with 101 passengers on board, Dutch police said in a statement.

The pilot had previously held a licence to fly small planes, but it had expired and did not allow him to fly large airliners.

He has been held in custody and a judge in Haarlem, near Amsterdam, will decide on Friday if he should be released on bail while awaiting trial for forging documents and flying without a licence.

South African Ricky De Agrela [freedomflightbook@yahoo.com] continues to do adventurous things. Many will remember that Ricky and his ill-fated friend, Alan Honeybourne, visited Australia a few years ago in their trikes. Sadly Alan was killed when flying over China. Ricky's exploits are on Facebook.

REMINDER

SMC Members are reminded that we have awards recognising various levels of hours flown. Eligible members should apply and produce their log books at a meeting for verification. The award badges are reproduced below for information:



TRIKE PILOT's CONFERENCE

Chris Ballenden has been speaking to Steve Ruffles suggesting the idea of a one or two day triker's conference in Bright (or anywhere in Vic for that matter).

Chris believes a conference might help to boost trike pilot numbers and it might help us to extract some financial support from the HGFA.

Chris would be welcome comments about the feasibility and desirability of such a conference.

NEXT MEETING

The next meeting is at the Manhattan Hotel, Canterbury Road, Ringwood, on Tuesday, April 13, at 1900hrs for a meal and 2000hrs for the meeting in the Board Room.

An interesting DVD will be displayed (provided I remember to bring the projector).

CONTRIBUTIONS

I welcome contributions from members. Any story or item of interest adds to the pleasure we all get from our association. Do not be shy – Nobel Prize for Literature standards are not expected.

Newsletter Closing times:

Last Tuesday of the month.

Advertising enquiries and any articles or items of information to:

Kel Glare: 03 9439 5920

O421 060 706, or, preferably, <u>kalkat@optusnet.com.au</u>